



Cpar P-58 AO

MEDIUM CHAIN CHLORINATED **ALPHA OLEFIN**

PROPERTY	TYPICAL RESULT
Color, Gardner	1
Chlorine, % by Weight	59
Specific Gravity, 25 C	1.39
Density, lbs/gal	11.6
Viscosity, SUS @ 210 F	170
Viscosity, SUS @ 100 F	17500
Viscosity, cSt @ 100 C	38
Viscosity, cSt @ 40 C	3200
Viscosity, Poise @ 25 C	280
Carbon Chain Length	C14

CPAR P-58 AO Applications

- Flame retardant and plasticizer in polymers.
- Flame retardant, plasticizer and lubricant in adhesives, caulks, sealants, and coatings.
- Additive in lubricants including metalworking fluids.
- Flame retardant and plasticizer in rubber.
- Flame retardant and waterproofer in textiles.



www.Qualicellc.com
11 E.V. Hogan Drive, Hamlet, NC 28345
USA